




Name

Yvette 415x323; 34

Zeichnung/Drawing


3D

Profil/Profile

3.4x11.4


Datum/Date

13.04.2023




Q2 – Classe de qualité pour les fenêtres et les portes/
Quality class for windows and doors





















Name		Yvette 415x323; 34	
Zeichnung/Drawing		Grundplan, Plan	
Profil/Profile	3.4x11.4	Datum/Date	10.05.2023


















Name	Yvette 415x323; 34		
Zeichnung/Drawing	MUR/WALL A		
Profil/Profile	3.4x11.4	Datum/Date	10.05.2023











Name	Yvette 415x323; 34		
Zeichnung/Drawing	MUR/WALL B		
Profil/Profile	3.4x11.4	Datum/Date	10.05.2023


Pos	Specification/Specification Yvette 415x323; 34		Pces. Pcs.	Profil Profile (mm)	Longueu Length (mm)
002			1	34x57	4150
003			17	34x114	4150
004			1	34x114	3730
005			1	34x114	3730
007			2	34x114	3430
008			32	34x114	3230
010			6	34x114	2035
011			1	34x57	2035
013			28	34x114	680
014			1	34x57	680
015			11	34x114	545
W1-1			1		
W2-1			1		
PF1	 PFETTEN - PURLINS		4	44x145	3730
PF2	 PFETTEN - PURLINS		1	44x145	3730
	PANNE DE TOIT - ROOF BOARDS 		68+1	113x16	2251
KP-1	FEUTRE BITUMEUX - ROOFING FELT  			3.75m-6'st	23.5 lfm/rm
G02-1	PLANCHES DE PIGNON - GABLE BOARDS 18x120   		4	18x120	2331
G06-1	BANDES DE COUVERTURE DE PIGNON - GABLE COVER STRIPS 18x58  		4	18x58	2331
T06-1	BAGUETTE EN BORDURE DU TOIT - EAVES STRIPS 18x40 		2	18x40	3730
T07-1	BAGUETTE EN BORDURE DU TOIT - EAVES STRIPS 18x58 		2	18x58	3730
GS	PIGNON DIAMANT - GABLE DIAMOND 		2		
SM-1	Latte anti-tempete - Storm reinforcement 		4	18x40	1940
Kood	Yvette 415x323; 34			Materjal	Leht 1/4

Pos	Specification/Specification Yvette 415x323; 34	Pcs. Pcs.	Profil Profile (mm)	Longueur Length (mm)
SH	CALLE DE FRAPPE - MOUNTING PIECES 	3		
NG01	CLOU POUR FEUTRE BITUMEUX - ROOFING NAILS 2.8x15 	400		
NG2 550	CLOU - NAILS 2.5x50 madrier du toit - Roof boards 	544		
SS024	Boulons bois - Wood bolts M8x70 rondelle - Washer Ø25 (pour Latte anti-tempete - storm reinforcement) 	12		
SR3 030	VIS - Screws 3.0x30 Baguette en bordure du toit - Eaves strips 18x40 	16		
SR3 545	VIS - Screws 3.5x45 Planches de pignon - Gable boards 	20		
SR3 545	VIS - Screws 3.5x45 Bandes de couverture de pignon - Gable cover strips 	20		
SR3 545	VIS - Screws 3.5x45 Pignon diamant - Gable diamond 	4		
SR3 545	VIS - Screws 3.5x45 Baguette en bordure du toit - Eaves strips - 18x58 	16		
	✓ - Coupé en longueur sur le chantier (si nécessaire) ! / Cut into length on site (if needed)!			
Kood	Yvette 415x323; 34	Materjal	Leht	2/4






Pos	Specification/Specification Yvette 415x323; 34	Pces. Pcs.	Profil Profile (mm)	Longueu Length (mm)
	FENÊTRE /WINDOW 800x1204 W2-S40P-06C-08001204 Q2 W118-PC Right handed/Ouverture à droite Clear opening/ taille d'ouverture 686×1081mm Clear float glass Verre propre 629x1023mm	1		
PROSS H1-1	Q2-Q3-1 Muntins - horizontal 18x18 	2	18x18	654
PROSS V2-1	Q2-Q3-2 Muntins - vertical 18x18 	1	18x18	1049
SR30 22-01	3.0x20ÜP VIS - Muntins 	6		
AL-Q 2-Q3	Q2-Q3 Window handle - Poignée de fenêtre 	2		
Kood	Yvette 415x323; 34	Materjal	Leht	3/4

Pos	Specification/Specification Yvette 415x323; 34	Pces Pcs.	Profil Profile (mm)	Longueu Length (mm)
	PORTE /DOOR 1425x1945 D2-D40R-01C-14251945 Q2 D202-RC 1425 1945  Right handed / Ouverture à droite Clear opening/ taille d'ouverture 1337x1857mm Clear float glass Verre propre 492x1589mm	1		
PROSS H1-2	Q2-Q3-1 Muntins - horizontal 18x18 	8	18x18	517
PROSS V4-1	Q2-Q3-4 Muntins - vertical 18x18 	2	18x18	1616
SR25 15-01	2.5x15 Locking plate - Gache de porte 01 Q2-Q3 	2		
SR30 22-01	3.0x20ÜP VIS - Muntins 	20		
SR50 90-01	5.0x90 Door frames - VIS Cadre de porte 	8		
RV01	Locking plate - Gache de porte 01 Q2-Q3 	1		
UL-Q 2-Q3	Q2-Q3 Door handle - Poignee de porte 	1		
LS-Q4	Q4 Cylinder lock - Barillet de porte 	1		
Kood Yvette 415x323; 34	Materjal		Leht 4 / 4	

Uks	Q2-Q3	-	koostamisjuh
Door	Q2-Q3	-	assembly instructions
Tür	Q2-Q3	-	Montageanleitung





Ø8-10



Ø8-10

*Kui ühepoolne uks ei ole kokku pandud!
 *When single door is not assembled!
 *Wenn Einzeltür ist nicht zusammengebaut!



*Kui hinged ei ole paigaldatud!
 *When hinges are not attached!
 *Wenn Scharniere sind nicht angebracht!

